



Authorized Distributor, Service,  
Warranty & Repair Facility.



4222 NE Columbia Blvd.  
Portland, OR 97218



You can  
rely on  
CESSCO, INC.  
for Parts &  
Service



January 2012

1-800-882-4959

Call for current pricing  
Limited to stock on hand (Page 1)

[www.cessco.us](http://www.cessco.us)

## Table Of Contents

Air Compressors	Page	3
Air Tools	Page	3
Concrete, Vibrators	Page	4
Core Drill Motors	Page	5-6
Core Drill Rigs	Page	5-6
Demolition Agents	Page	20
Diamond Blades	Page	20
Generators	Page	7-8
Hydraulic Power & Accessories	Page	9
Plate Compactors	Page	10
Rammers	Page	11
Saws, Concrete Chainsaw	Page	12
Saws, Cut - Off	Page	13
Saws, Paver / Masonry	Page	14
Saws, Ring	Page	14
Saws, Slab	Page	15-16
Slurry Vacuums	Page	9
SpeedHook Systems (for concrete chainsaws)	Page	9
Tamper, Pneumatic	Page	3
Trowels, Power	Page	17
Water Pumps	Page	18-19

**Freight Policy:** F.O.B. Cessco  
 - These prices do not include freight. Drivers are not required to unload shipments by themselves on non-loading-dock deliveries.

**Prices:** Prices are subject to change without notice. We reserve the right to correct layout and printing errors. Quantities on some products may be limited to stock on hand. Features and specifications are subject to change without notice. Retail prices are based on the mfg. list prices and do not always reflect selling prices.

**Warranties:** Products are warranted by the original manufacturer. Keep your sales receipt as proof of purchase. Call the manufacturer for your nearest service station or return the product to CESSCO for warranty or repair. Neither CESSCO nor the manufacturer may be held responsible for misuse of merchandise.



## Air Tools

Chipping Hammers, Paving Breakers, Rivet Busters, Rock Drills, & Tampers



### APT Chipping Hammers

Model 650 Series Feature: Traditional pistol grip handle and is available in 2", 3" and 4" stroke models.

2" Model 652 (P/N 5298)	CALL
3" Model 653 (P/N 5300)	CALL
4" Model 654 (P/N 5302)	CALL



### APT Paving Breakers

APT Paving breakers are tough and dependable. This hard hitting tool is designed to be the perfect all around breaker. The 140's are designed for light to medium construction work. The 160's are designed for medium to heavy demolition work. The 190A is APT's most powerful Paving Breaker available in the "Airgo" ergonomic style.

Model 140 (P/N 17446)	CALL
Model 160 (P/N 17747)	CALL
Model 190 (P/N 18619)	CALL



### APT Rivet Busters

Drop forged D-Style handle. Inside trigger for better control and safety. Model 133 - 8" stroke, 1140 BPM. Model 1133 - 11" stroke, 850 BPM.

Model 133 (P/N 5216)	CALL
Model 1133 (P/N 17399)	CALL



### APT Rock Drills

The APT Model 109 & 115 are lightweight tools for drilling holes for anchor bolts and small dowel hole drilling. These versatile tools have a stop rotation feature that converts them from a drilling tool to a percussion tool for light chipping. Model 137 & (Model 155 not shown) are used in general construction.

Model 109 (P/N 17643)	CALL
Model 115 (P/N 5197)	CALL
Model 137(P/N 5223)	CALL

### APT Tampers

The Model 131 Backfill Tamer is used for soil compaction, temporary filling holes, asphalt packing, etc. Applications range from foundation and pavement repair to the installation of power or telephone poles. APT offers an optional half moon shaped pole tamping accessory for compaction around a pole as well as a 3" diameter butt for confined spaces.

Model 131 Tamper (P/N 5214)	CALL
-----------------------------	------



### Air Compressors

The MAC700 is a 2.0Hp 1,720 RPM Low Noise and Low AMP draw compressor

The MAC2400 is a 2.5Hp 1,720 RPM Low Noise and Low AMP draw compressor

The MAC244 is a 3.0Hp. With Performance to run two nailing guns.

MAC700	CALL
MAC2400	CALL
MAC5200	CALL



# Concrete Vibrators



## Northrock (Oztec Style) Concrete Vibrators



**Electric Power Unit**

13 Amp Max head diameter 1.75". UL Listed.	<b>PRO 1.5+ (P/N 30BA1)</b>	<b>CALL</b>
15 Amp Max head diameter 2.5" UL Listed.	<b>PRO 2+ (P/N 30BA2)</b>	<b>CALL</b>
19 Amp Max head diameter 2.5". UL Listed.	<b>PRO 3+ (P/N 30BA3)</b>	<b>CALL</b>

### Oztec Style Shafts

3 Foot Oztec Style Shaft	<b>30A3</b>	<b>CALL</b>
5 Foot Oztec Style Shaft	<b>30A5</b>	<b>CALL</b>
7 Foot Oztec Style Shaft	<b>30A7</b>	<b>CALL</b>
10 Foot Oztec Style Shaft	<b>30A10</b>	<b>CALL</b>
14 Foot Oztec Style Shaft	<b>30A14</b>	<b>CALL</b>
21 Foot Oztec Style Shaft	<b>30A21</b>	<b>CALL</b>

### Oztec Style Vibrator Heads

1 Inch Oztec Style Vibrator Head	<b>30D1</b>	<b>CALL</b>
1.25 Inch Oztec Style Vibrator Head	<b>30E12</b>	<b>CALL</b>
1.5 Inch Oztec Style Vibrator Head	<b>30F15</b>	<b>CALL</b>
1.75 Inch Oztec Style Vibrator Head	<b>30G17</b>	<b>CALL</b>
2 Inch Oztec Style Vibrator Head	<b>30H2</b>	<b>CALL</b>
2.5 Inch Oztec Style Vibrator Head	<b>30J25</b>	<b>CALL</b>



## Multiquip High-Cycle Concrete Vibrators

Are designed for use in low-slump concrete where consistent power is needed to liquefy and move a stiff mix into corners and around rebar, or for any job where extended length vibrators are required.



60/180 Hz Generator for High Cycle or standard power tools.	<b>GDP5H Generator</b>	<b>CALL</b>
2" x 16.5" Head with 13.1 ft Hose, and 33 ft. Cord. 714 lbs. of Centrifugal Force and 10,800 VPM (2 Amps)	<b>FXA50A4</b>	<b>CALL</b>
2" x 16.5" Head with 20 ft Hose, and 33 ft. Cord. 714 lbs. of Centrifugal Force and 10,800 VPM (2 Amps)	<b>FXA50A6</b>	<b>CALL</b>
2.125" x 19.25" Head with 13.1 ft Hose, and 33 ft. Cord. 714 lbs. of Centrifugal Force and 10,800 VPM (4.5 Amps)	<b>FXA60A4</b>	<b>CALL</b>
2.125" x 19.25" Head with 20 ft Hose, and 33 ft. Cord. 714 lbs. of Centrifugal Force and 10,800 VPM (4.5 Amps)	<b>FXA60A6</b>	<b>CALL</b>
50 Foot 12-Gauge High Cycle Extension Cord	<b>180EC50</b>	<b>CALL</b>
100 Foot 12-Gauge High Cycle Extension Cord	<b>180EC100</b>	<b>CALL</b>



# Core Drill Motors & Drill Rigs



## Multiquip CDM1H Hand Held Core Drill Motor & Case

The CDM-1H Hand Held Core Drill is effective for core drill holes up to 3 inches wet cutting. Convenient adjustable shoulder rest (similar to a rifle stock). Three position hand grip (left, right, top). Internal water feed. Carrying case & tools included. Variable speed - 1800 RPM max. **115Volt, 11 Amps.** Weighs only 9 lbs. Thread size 1 1/4-7 Included (5/8-11 adapter Optional)

**CALL**



## Diamond Products CB500-HH

This Hand-Held Core Drill Package has a 2-speed gear box (1100/2200 RPM) 1300 Watt 110Volt Motor. Shoulder brace and side handle for stability. Upt to 3" drilling capacity. Works with the M-4 Core Rig. Water hose connection for wet drilling. Includes heavy duty carrying case and wrench. Built with 5/8-11 thread for smaller bits, and includes a 1-1/4 7 thread adapter for larger bits.

**CALL**



## Weka DK12 Electric Core Drill Motor & Case

110 Volt, 14 Amp three speed electric core drill motor (580/1400/2900 RPM). **5/8-11 & 1-1/4-7 capable Side Handle. Choice of 5/8-11 or 1-1/4-7 threaded water swivel.**

**CALL**

(P/N 4244017)

**CALL**

(P/N 4240010)

With M4 Anchor Stand



## M1-AA-15 Core Rig

Complete core rig includes: Anchor base with leveling screws, mast, carriage, core bore motor, water hose connection, water trap ring (bit not included). 6" bit capacity, weighs only 45 pounds. 15 amp, 3.5Hp Core Bore Motor (Single-Speed 800 RPM). Very durable and reliable. Water hose connection, spring loaded slide handle for easy coring. Convenient handle on carriage.

**CALL**

P/N 4220050

## M4 Portable Drill Rigs with 20 Amp Milwaukee motors



**Complete Anchor Rigs Include:** Anchor base, mast, carriage, control panel, ceiling jack, motor mount plate and your choice of drill motor (Core Bore, Milwaukee, or Weka). **Combo Rigs include:** Anchor/Vacuum base. **M-4 Features:** Weighs only 36 lbs. 6" bit capacity. Converts to hand held drill motor (with Weka DK12 in seconds. Combination stand quickly angles to 45 degrees. Can rotate on (optional swivel base - call for details). Reversible slide handle (left or right) Carriage Lock

Anchor Rig	300/600	
	450/900	<b>CALL</b>
	600/1200	

Combo Rig without Vac. Pump	300/600	
	450/900	<b>CALL</b>
	600/1200	

Combo Rig with Vacuum Pump	300/600	
	450/900	<b>CALL</b>
	600/1200	

**M4 Drill Rigs are available with other motors - please call for pricing**



# Core Drill Rigs & Motors (Cont.)

## M1 Drill Rigs with 20 Amp Milwaukee motors



**Complete Anchor Rigs Include:** Anchor base, mast, carriage, control panel, ceiling jack, motor mount plate and your choice of drill motor (Core Bore, Milwaukee, or Weka). **Combo Rigs include:** Anchor/Vacuum base. **M-1 Features:** 1" to 10" bit capacity (14" with a spacer block). Dual switch/outlet control panel & amp meter. Slide handle permits drilling in tight areas. Small anchor base and carriage. 2-1/2" square column with black oxidized finish. 6" wheels for better mobility.

Anchor Rig	300/600 450/900 600/1200	<b>CALL</b>
Combo Rig without Vac. Pump	300/600 450/900 600/1200	<b>CALL</b>
Combo Rig with Vacuum Pump	300/600 450/900 600/1200	<b>CALL</b>

M1 Drill Rigs are available with other motors - please call for pricing

## M2 PRO Drill Rigs with 20 Amp Milwaukee motors



**Complete Anchor Rigs Include:** Anchor base, mast, carriage, control panel, ceiling jack, motor mount plate and your choice of drill motor (Core Bore, Milwaukee, or Weka). **Combo Rigs include:** Anchor/Vacuum base. **M-2 Features:** 10" bit capacity (36" with spacers). Dual switch/outlet control panel & amp meter. 4-Spoke Handle. Quick changeover from vacuum to anchor base. 6" wheels for better mobility.

Anchor Rig	300/600 450/900 600/1200	<b>CALL</b>
Combo Rig without Vac. Pump	300/600 450/900 600/1200	<b>CALL</b>
Combo Rig with Vacuum Pump	300/600 450/900 600/1200	<b>CALL</b>

M2 Drill Rigs are available with other motors - please call for pricing



## DR2003 Shibuya Hand-Held Blu-Drill



Shibuya Blu-Drills offer you a whole new world of power and convenience. Talk to anyone who has used one, check out the features, you'll agree - there is nothing like a SHIBUYA BLU-DRILL. Now you can get everything you need, from hand-held to small, medium or large motor core drills from a single manufacturer. SHIBUYA BLU-DRILLS have common parts and accessories for your added convenience. **3-speed (560/1400/2900 RPM) 15 amp 115volt motor.** (Optional Fixed based stand, column & carriage / Angle base, column, carriage / Adapter Kit / Dust Ring Kit - Call for pricing)

**CALL**  
DR2003

## Shibuya BLU-DRILLS (Rigs & Motors)



<b>TS-092</b> Features: 6" Bit Capacity, 115 volt, 10 amp <b>Single-Speed (970 or 1750)</b> low noise motor. 22" column (13" capacity) Angle Base w/case	950 rpm 1750 rpm	<b>CALL</b> <b>CALL</b>
<b>TS-132</b> Features: 9" Bit Capacity, 115 volt, 15 amp <b>Single-Speed (850)</b> low noise motor. 39" column (26" capacity)	850 rpm angle base	<b>CALL</b>
<b>TS-162</b> Features: 9" Bit Capacity, 115 volt, 15 amp <b>2-Speed (700/1000)</b> low noise motor. 39" column (24" capacity)	Fixed Angle	<b>CALL</b> <b>CALL</b>
<b>TS-252</b> Features: 10" Bit Capacity, 115 volt, 20 amp <b>2-Speed (450/900)</b> low noise motor. 39" column (24" capacity)	Fixed Angle	<b>CALL</b> <b>CALL</b>
<b>TS-353</b> Features: 14" Bit Capacity, 115 volt, 23 amp <b>3-Speed (380/1000/1700)</b> low noise motor. 39" column (24" capacity)	Fixed Angle	<b>CALL</b> <b>CALL</b>
<b>TS-402</b> Features: 16" Bit Capacity, 115 volt, 27 amp <b>2-Speed (300/700)</b> low noise motor. 39" column (24" capacity)	Fixed Angle	<b>CALL</b> <b>CALL</b>

1-800-882-4959

Call for current pricing  
Limited to stock on hand (Page 6)

WWW.CESSCO.US



# Generators

**HONDA**

**Power  
Equipment**



## Super Quiet Inverter Generators

When quiet counts, count on Honda! Honda's advanced inverter technology makes these generators extremely lightweight, portable and fuel-efficient. Honda's inverter technology creates "clean" or stable power - making these generators ideal for sensitive electronic equipment. Totally enclosed, they are incredibly quiet. All models are EPA and CARB compliant.

(Call for item and freight quote)

**EU1000i**      **CALL**

**EU2000i**      **CALL**

**EU3000is**      **CALL**



## Honda Economy Generators

Honda's economy generators are a reliable source of "NO FRILLS" power. These models are all equipped with Oil Alert and a protective frame with isolation mounts for added durability.

(Call for item and freight quote)

**EP2500**      **CALL**

**EG3500**      **CALL**

**EG5000**      **CALL**



## Honda Industrial Generators

Why are Honda generators number one on the job site? Easy. Reliability and durability. On construction sites, time is money; crews can't afford to be idle due to a lack of on-site power. In the construction and rental industry, Honda has consistently been named "most preferred" in reader surveys by leading trade publications. Minimal downtime plus minimal maintenance equals happy customers.

(Call for item and freight quote)

**EB3000**      **CALL**

**EB3800**      **CALL**

**EB5000**      **CALL**

**EB6500**      **CALL**



## Honda Deluxe Generators

Ranging from 3800 to 6500 watts, this series of generators offers a wide variety of enhanced functions for home back-up and general purpose situations. Powerful Honda commercial OHV engines. Voltage selector switch 120/240 volt operation.

(Call for item and freight quote)

**EM3800s**      **CALL**

**EM5000s**      **CALL**

**EM5000is**      **CALL**

**EM6500s**      **CALL**



# Generators (Continued)

## Multiquip Portable Generators



Multiquip's gasoline powered generators range from 2.5 to 9.7 kW and have earned a reputation for providing reliable power in the most demanding applications. The GDP5H is the industry's only generator that produces both 180hZ power for high-cycle concrete vibrators and 60Hz power for standard power tools. This versatile power source helps concrete contractors maximize equipment utilization.

**Free UPS Ground (Continental U.S.) included with Multiquip Portable Generators**

<b>GA25H</b>	<b>CALL</b>
<b>GA36HA</b>	<b>CALL</b>
<b>GA6HA</b>	<b>CALL</b>
<b>GA6HEA</b>	<b>CALL</b>
<b>GA97HE</b>	<b>CALL</b>
<b>GDP5H (High Cycle)</b>	<b>CALL</b>

## MQ-Power Super-Silent Whisperwatt Generators



Skid-Mounted MQ-Power Whisperwatt Generators come fully equipped with just about every control and convenience feature imaginable.

**(Call for item and freight quote)**

Single Phase	<b>DA7000SS</b>	<b>CALL</b>
Single Phase	<b>TLG12SPX4C</b>	<b>CALL</b>
Single Phase	<b>DCA10SPX4C</b>	<b>CALL</b>
Single Phase	<b>DCA15SPX4C</b>	<b>CALL</b>
Single / Three phase	<b>DCA25SSIU2</b>	<b>CALL</b>
Single / Three phase	<b>DCA45SSIU3</b>	<b>CALL</b>
Single / Three phase	<b>DCA70SSIU</b>	<b>CALL</b>
Single / Three phase	<b>DCA85SSJU</b>	<b>CALL</b>

## MQ-Power Ultra-Silent Whisperwatt Generators



Skid Mounted, **Single/Three Phase** Ultra Silent WhisperWATT Generators. MQ Power's revolutionary Ultra-Silent Series generators are the worlds quietest and best performing portable power sources.

**(Call for item and freight quote)**

<b>DCA25USI</b>	<b>CALL</b>
<b>DCA45USI</b>	<b>CALL</b>
<b>DCA85USJ</b>	<b>CALL</b>
<b>DCA125USJ</b>	<b>CALL</b>
<b>DCA150USJ</b>	<b>CALL</b>

## ICS Total Slurry Systems



Provides an easy way to contain and dispose of slurry when wet-sawing or drilling in concrete or other masonry / stone materials. Tailored specifically for use on concrete slurry, the high-lift systems in the TSS product line provide the power and durability necessary.

TSS-15 (Shown) 15 Gallon vacuum system includes: 110Volt Motor, 15 gallon canister and hose (P/N 73862)

TSS-55 (Not shown) mounts on 55 Gallon Drums (not included)

**CALL**

Hydraulic saw adapter  
**CALL** (P/N 73857)

## ICS SpeedHook Systems (for Hydraulic Saws)



Reduce operator fatigue and extend chain life with a SpeedHook system. An ingenious accessory designed to support the weight of your ICS Hydraulic saw, dramatically reducing operator fatigue, ensuring straight cuts and extending chain life

Available for: ICS 814PRO's, 853PRO's & 880F4 Hydraulic Saws

Additional 42" rails for SpeedHook Systems: **CALL**

**CALL**

## Husqvarna HP40 Mark II



The flexible hydraulic power pack. The HP40 has low noise levels, weight just 100 kg and is handy to use. 5/8/10 Gallons per minute.

**CALL**

## ICS Hydraulic Powerpacks



Portable power for the professional cutter. ICS gas operated powerpacks are dependable, self contained sources of hydraulic power that offer **SUPERIOR COOLING CAPACITY**. Their functional ergonomic design makes them easily transportable to any job site.

**CALL**

## ICS Hydraulic Flow Adapter Valves



Hydraulic flow adapter valves allow for smooth quiet operation of any ICS Hydraulic Saw. Use with high - capacity power supplies up to 20 GPM (2500 PSI). The flow rate from the adapter valve is fixed not to exceed its rating.

Available in 8 GPM (70350) & 12 GPM Versions (71287)



**CALL**

## Hydraulic Hose Sets



25 Foot ICS Hydraulic Hose Set (P/N 70466) Rated for 8 / 12 GPM at 2500PSI.

Generic 25 & 50 Foot Hose Sets available,  
call for current pricing.

please

**CALL**



# Compaction - Forward Plate Compactors (Reversible Compactors also available)

## M-B-W

## AP2000 Series



The only vibratory plate compactor **SPECIFICALLY DESIGNED FOR ASPHALT APPLICATIONS**. Frequency, amplitude, centrifugal force and mass are all established at optimal levels for maximum productivity on asphalt. Available in "Low-Profile" (AP2018H) with a smaller water tank for tight areas, and "Hi-Profile" (AP2000H) with a larger water tank.

<b>AP2000H (Hi-profile)</b> 5.5Hp Honda Engine	<b>CALL</b>
<b>AP2018H (Low-profile)</b> 5.5Hp Honda Engine	<b>CALL</b>

## Multiquip Forward Plate Compactors

This vibratory plate compactor is small and lightweight (101 lbs.) making it ideal for work in confined areas. Compacts 4711 sq ft. per hour @ 1618 lbs per blow

<b>MVC40G</b> 2.4 Hp Robin EH-09	<b>CALL</b>
-------------------------------------	-------------



Highly Maneuverable, ideal for small jobs and narrow areas. Compacts up to 5858 sq. ft. per hour with 2275 lbs of force. **ANTI-VIBRATION HANDLE**. Solid, high strength steel base plate with curved edges provides top performance. - Great for confined areas.

<b>MVC64VH</b> 3.5 Hp Honda GX-120	<b>CALL</b>
<b>MVC64VHW*</b> 3.5 Hp Honda GX-120	<b>CALL</b>



Recognized as the industry standard for compacting granular soils and asphalt. Compacts up to 6970 sq. ft. per hour with 3080 lbs of force. **ANTI-VIBRATION HANDLE**. Economic price. Solid, high-strength steel base plate with curved edges for excellent performance and **smooth turns on hot asphalt**. Highly maneuverable, ideal for tight, confined areas.

<b>MVC82VH</b> 4.8 Hp Honda GX-160	<b>CALL</b>
<b>MVC82VHW*</b> 4.8 Hp Honda GX-160	<b>CALL</b>



Easy to use, easy to transport, the MVC88 series are the newest and most technically advanced compactors on the market. The **ANTI-VIBRATION HANDLE** design reduces vibrations up to 50% compared to other plate compactors. Compacts up to 7092 sq. ft. per hour with 3450 lbs. of force. Sealed belt cover keeps dirt and rocks out of the belt. Self cleaning plate design minimizes dirt and rock build up. Optional wheel kit (WHL-88), Optional plate attachment for paving stones (UPA-88A)

<b>MVC88VGH</b> 4.8 Hp Honda GX-160	<b>CALL</b>
<b>MVC88VGHW*</b> 4.8 Hp Honda GX-160	<b>CALL</b>



The MVC90'S boasts more standard features than any other on-way compactor. Compacts up to 8036 sq. ft. per hour with 3350 lbs. of force. Durable steel water distribution system. Tubular steel roll bar cage.

<b>MVC90L</b> 5 Hp Robbing EH-170	<b>CALL</b>
<b>MVC90H</b> 4.8 Hp Honda GX-160	<b>CALL</b>

\*"W" series plate compactors include water tank



# Compaction - Rammers

## Small

## 4-Cycle Rammers



**Weber MT's SRV65 & SRV66** Vibratory Tampers  
Progress achieved by Weber MT quality machines, that's what the vibrating tampers SRV65 and SRV66 stand for. They are rugged machines that can be used at almost any construction site.



**SRV 65** **CALL**

**SRV 66** **CALL**  
4.1Hp Robin EH12

Vibratory tampers from Weber MT:  
Quality that will get you ahead.



**Multiquip's** four-cycle rammers are designed for high performance by combining heavy-duty designs with dependable 4-stroke engines. The **MTR40F** is designed specifically for narrow trench work - with a grease lubricated design for long life. The **MT55F** is an oil bath rammer that is suitable for residential landscaping and municipal applications.

**MTR40F** **CALL**  
2.4 Hp Robin EH-09 Engine



Multiquip is the industry leader in compaction technology for quality and durability

## MTX-Series

## 4-Cycle Multiquip Rammers



The MTX-60 delivers 695 blows per minute with 3060 lbs of force per blow. The MTX-70 delivers up to 690 blows per minute with 3350 lbs. of force per blow. The MTX-80 delivers up to 678 blows per minute with 3510 lbs. of force per blow. The MTX-90 delivers up to 700 blows per minute with 3710 lbs. of force per blow. With a travel speed of 55 feet per minute the MTX-60 can be your production workhorse, the MTX-70 and MTX-80 will travel about 40 feet per minute, and the MTX-90 travel speed is about 36 feet per minute. **ANTI-VIBRATION HANDLES**

**MTX60** **CALL**  
3 Hp Honda GX-100

**MTX70** **CALL**  
3 Hp Honda GX-100

**MTX80** **CALL**  
3.5 Hp Robin EH-122D

**MTX90** **CALL**  
3.5 Hp Robin EH122D

## Large

## Diesel Rammers



Choose these rugged, powerful rammers for job sites where diesel-fueled machines are preferred. Heavy-Duty construction and reliable performance are the real benefits of these rammers. The MT76D2 delivers up to 700 blows per minute with 3550 lbs. of force per blow. The MT86D2 delivers up to 700 blows per minute with 4400 lbs. of force per blow.

**MT76D2** **CALL**  
4.5 Hp Yanmar L48V6

**MT86D2** **CALL**  
4.5 Hp Yanmar L48V6

**Multiquip is the industry leader in compaction technology for quality and durability**



## Concrete Chainsaws

### 2-Cycle Gas & Hydraulic Saws



### ICS 680GC 80cc Gas Concrete Chainsaws



A whole different animal! - Operating temperatures 100 degrees (F) lower than the 613GC series it replaces, the 680GC provides easier starting, cooler operation, and dependable performance at most elevations. Cuts up to 14 Inches (with 14" bar & chain)

**Package includes: 80cc 2-Cycle Powerhead, Guide Bar, TwinMAX Diamond Chain**

12 Inch

**CALL**

**CALL**

14 Inch

### ICS 695GC 95cc Gas Concrete Chainsaws



95 cc / 6.4 hp gas engine

- Deep cuts up to 16 inches (40 cm)
- Extreme power for heavy duty jobs.

**Package includes: 95cc 2-Cycle Powerhead, Guide Bar, TwinMAX Diamond Chain**

14 Inch

**CALL**

**CALL**

16 Inch

### ICS 695F4 95cc Gas Concrete Chainsaws



All the benefits of a 695GC PLUS the ability to operate FORCE4 diamond chains - the strongest chains in the business.

- Also works with PowerGrit® Chain to cut ductile iron.

**Package includes: 95cc 2-Cycle Powerhead, Guide Bar, ProFORCE Diamond Chain**

14 Inch

**CALL**

**CALL**

16 Inch

### ICS 814PRO-13 Inch Hydraulic Concrete Chainsaws



Small but powerful, this Hydraulic "Mini-Pro" saw is lighter than any other hydraulic saw. Cut perfectly square openings as small as 3 1/2 inches. A natural for utility work and other applications, where a mix of portability and power are required.

Package P/N 525716 includes: **8 GPM** Hydraulic Powerhead, 13" Guide Bar, and 13 Inch PRK-LL-25 Diamond Chain

**CALL**

13 Inch Replacement chains starting at **CALL**

### ICS 880F4 15" ProFORCE Concrete Chainsaw Package



ICS 880F4 A great saw with a bad attitude. This new ICS cutting system offers the superior strength of FORCE4 technology in a package that meets industry standards of design and ergonomics. Built for the hardcore cutter and packed with features designed for the PRO's.

Package includes: **8 OR 12 GPM** Hydraulic Powerhead, 15" Guide Bar, and 15 Inch ProFORCE Diamond Chain, Carrying Case

**8 GPM (526824)**

**CALL**

**CALL**

**12 GPM (525341)**

Also works with PowerGrit® Chain to cut ductile iron

1-800-882-4959

Call for current pricing  
Limited to stock on hand (Page 12)

www.cessco.us



# Hand Held, High Speed Cut-Off Saws



## Husqvarna K3000-VAC 14" Electric Cut Off Saw



Husqvarna's K 3000-Vac electric is one of the market's most powerful and versatile electrical cutters. The machine provides several new options and possibilities for cutting both indoors as well as outdoors. With an impressive 2700 W, you have enough power for cutting depths of 4.295 inches. The K 3000 is ideal for rapid and simple cutting and adjusting building components, pipes, reinforcing steel, struts, etc. on your job site.

**CALL**



## DPC7321-14" 2-Cycle Gas Cut-Off Saw



This upgrade of the older DPC7311 Power Cutter is redesigned to retain all the power of the 7311 while achieving EPA Phase II exhaust emissions compliance. **14 Inch Blade Capacity with a maximum cutting depth of 4-13/16 Inches.**

**CALL**



## Husqvarna K760-14" 2-Cycle Gas Cut Off Saw



The Husqvarna K760 features a dual charge powerful motor producing 5.0Hp - with low emissions and excellent fuel economy. Put simply it offers a cleaner and more efficient motor. Fitted with an automatic decompression valve and a more effective muffler and a newly developed anti-vibration dampening system. **14 Inch Blade Capacity with a maximum cutting depth of 5 Inches.**

**CALL**



## DPC8112-16" 2-Cycle Gas Cut-Off Saw



Features: Five-stage, foam-paper-nylon system with advanced directional air flow provides very clean air for better saw performance. Reinforced aluminum blade guard with 70 degree range of limitless positioning using a marked knob handle.. **16 Inch Blade Capacity with a maximum cutting depth of 5-3/4 Inches.**

**CALL**



## Husqvarna K960-14" & 16" 2-Cycle Gas Cut Off Saw



The Husqvarna K960 is the latest and most powerful handheld cutter. Featuring the new dual charge engine technology that dramatically reduces emissions (compared to earlier engine generations). Based on the K950 with extensive improvements that put it in a class of it's own. **Capable of cutting up to 6" (5" with a 14" blade).**

**CALL**

(14 Inch model)

**CALL**

(16 Inch model)



## Husqvarna K2500-16" Hydraulic Cut Off Saw



Hydraulic pressure is an excellent option, a smooth efficient source of power. Not surprisingly hydraulic-powered cutters are remarkable light and easy to handle. The K2500 can equip a 16" blade (6" cutting depth). Work efficiently and comfortably for long spells at a time. Freedom from exhaust gases and low noise level make it especially suitable for indoor jobs.

**CALL**

**1-800-882-4959**

Call for current pricing  
Limited to stock on hand (Page 13)

**WWW.CESSCO.US**



# Hand Held, High Speed Ring Saws



## Husqvarna K960-14" 2-Cycle Ring Saw



Husqvarna's K 960 Ring saw is able to make 10" Deep Cuts with a 14" blade (not included). They have combined their unique and patented ringsaw technology, where the blade is driven from the edge rather than the center, with the strong easy to handle 2-cycle K 950 powerhead. More efficient work with cleaner cuts and fewer touch ups.

**CALL**



## Husqvarna K3600 Mark II 14" Hydraulic Ring Saw



The Husqvarna K750 features a dual charge powerful motor producing 5.0Hp - with low emissions and excellent fuel economy. Put simply it offers a cleaner and more efficient motor. Fitted with an automatic decompression valve and a more effective muffler and a newly developed anti-vibration dampening system. **14 Inch Blade Capacity with a maximum cutting depth of 5 Inches.**

**CALL**



# Paver & Masonry Saws



## CC300M Paver Saw



Powerful 3.0Hp motor with a 14" blade capacity. Easily adjustable saw head. Superior air filter leads to longer life. 115 Volt, 19 Amp Electric motor. Comes with 2 spare Air Filters (blades sold separately)

CC300M **CALL**

Stand **CALL**

Wet-Kit **CALL**



## CC500M Masonry Saws



1.5 or 2.5 Hp single phase electric motors. Stay level blade guard. Removable head. Open throat cutting. Side carrying handles. Easy, safe access to depth control lock. Reinforced tray wheel housing. Leg kit comes standard, folding stand optional. Upgraded vibration dampeners.

CC515MXL2 (1.5 Hp 1ph) **CALL**  
(115v/230v)

CC525MXL2 (2.5 Hp 1ph) **CALL**  
(115v/230v)



## BB-14 Masonry Saws



Shown mounted to a universal stand

These Portable Gas & Electric Masonry Saws have a 14" blade capacity. Universal cutting table with water drain holes and centered wood block eliminates cutting through the table. Water pump mount for easier adjustment. Easier belt adjustments.

Foot Pedal Kit for BB-14 Masonry Saws **CALL**  
Dust Control Kit for BB-14 Masonry Saws **CALL**  
Universal Folding Stand for BB-14" Masonry Saws **CALL**  
Universal Procart for BB-14" Masonry Saws **CALL**

BB-14E (1.5Hp 115v) **CALL**

BB-14 5.5Hp (2-Cycle) **CALL**

BB-14 6.5Hp (2-Cycle) **CALL**

BB-14 9.0Hp (2-Cycle) **CALL**

**1-800-882-4959**

Call for current pricing  
Limited to stock on hand (Page 14)

**WWW.CESSCO.US**



# Low Hp Concrete Slab Saws Portable Push Models



## CC1000 Series 8 Inch Green Concrete Saws



The CC1000 Green Concrete Saws feature a "Center Cut" design for better tracking into an existing cut and ease in keeping your cut straight. **With an 8" Blade capacity** these saws will cut up to 2 1/4". Up cut Design results in a cleaner cut.

**CC1055H** - 5.5 Hp Honda Engine (5800551) **CALL**

**CC1025E** - 2.5 Hp Electric Motor (5800552) **CALL**



## Diteq TEQ-Con II Flat Saw

Heavy duty one piece rigid box style frame for straight cutting. **18" Blades with a 6-3/4" cutting depth.**

**F0016 TEQ-Con II**  
13Hp Robin Engine **CALL**



## CC1100 & CC1200 Series 14" & 18" Concrete Saws



Heavy-Duty structure. Sturdy handles that don't rattle. **18" maximum blade capacity. 6-5/8" cutting depth (14" saws cut up to 4-5/8")**. Slip-on blade guard. Left or right hand sawing. 9 Hp Robin-Subaru, 9Hp Honda, or 13Hp Honda engines. Screw feed raise and lower system.

**CC1111H-14** Inch with a 11Hp Robin Engine **CALL**

**CC1209RS-14** Inch with a 9 Hp Robin Engine **CALL**

**CC1209HS-14** Inch with a 9 Hp Honda Engine **CALL**

**CC1209RS-18** Inch with a 9 Hp Robin Engine **CALL**

**CC1209HS-18** Inch with a 9 Hp Honda Engine **CALL**

**CC1213HS-14** Inch with a 13 Hp Honda Engine **CALL**

**CC1213HS-18** Inch with a 13 Hp Honda Engine **CALL**



## CC1300 Series 14" & 18" Concrete Saws



Extra sturdy handles adjustable to 4 positions for precise control. **18" maximum blade capacity. 6-5/8" cutting depth (14" saws cut up to 4-5/8")**. Slip-on blade guard. Left or right hand sawing. 9 Hp Robin-Subaru, 9Hp Honda, or 13Hp Honda engines. Easy turning and quick acting hand wheel makes raising and lowering the blade even easier. Power transmission to blade drive is via 3 molded notch 3VX premium belts, not like some of the competitors, resulting in better cutting performance and longer belt life. Includes multi-spray blade coolant system.

**CC1309RSXL-14** Inch with a 9 Hp Robin Engine **CALL**

**CC1309HSXL-14** Inch with a 9 Hp Honda Engine **CALL**

**CC1313HSXL-14** Inch with a 13 Hp Honda Engine **CALL**

**CC1309RSXL-18** Inch with a 9 Hp Robin Engine **CALL**

**CC1309HSXL-18** Inch with a 9 Hp Honda Engine **CALL**

**CC1313HSXL-18** Inch with a 13 Hp Honda Engine **CALL**



## DS-18 Inch Down cut Concrete & Asphalt Push Saw



Heavy-Duty anti-vibration engine mount. Screw boot belt tensioner prevents frame damage. 18" blade capacity. 7-gauge steel blade-guard with welded protective segment flap. Heavy-Duty lifting bail. 13 Hp gasoline engine (or 5 Hp electric) P/N 37100

**CALL**



# Low Hp Concrete Slab Saws Portable Push Models (cont.)



## CC1300 Series 14", 18" & 20" Electric Concrete Saws



Extra sturdy handles adjustable to 4 positions for precise control. **18" maximum blade capacity. 6-5/8" cutting depth (14" saws cut up to 4-5/8")**. Slip-on blade guard. Left or right hand sawing. Single & three phase 5Hp, and three phase 10 Hp electric motors. Easy turning and quick acting hand wheel makes raising and lowering the blade even easier. Power transmission to blade drive is via 3 molded notch 3VX premium belts, not like some of the competitors, resulting in better cutting performance and longer belt life. Includes multi-spray blade coolant system.

CC1305E1XL-14 Inch 5Hp single phase Lincoln	CALL
CC1305E3XL-14 Inch 5Hp three phase Lincoln	CALL
CC1305E1XL-18 Inch 5Hp single phase Lincoln	CALL
CC1305E3XL-18 Inch 5Hp three phase Lincoln	CALL
CC1310E3XL-20 Inch 10Hp Three phase 460Volts with switchbox	CALL



## CC1800 Series 14" & 20" Concrete Push Saws



Large saw features in an easily maneuverable saw. Updated handle design with four rubber grips. Screw feed raise and lower mechanism. **Maximum cutting depth of 7-5/8" with 20" guard (4-5/8" cutting depth with 14" guard)**. Handle adjusts to operators height. Left or right side sawing. Remote throttle, choke and ignition switch (only available on the 20 Hp Models).

CC1813H-XLP-14 Inch with a 11 Hp Honda Engine	CALL
CC1813H-XLP-20 Inch with a 11 Hp Honda Engine	CALL
CC1816BV-XLP-14 Inch with a 16 Hp Vanguard Engine	CALL
CC1816BV-XLP-20 Inch with a 16 Hp Vanguard Engine	CALL



# Low Hp Concrete Slab Saws Self Propelled Models



## CC1800 Series 14" & 20" Concrete Push Saws



Large saw features in an easily maneuverable saw. Updated handle design with four rubber grips. Screw feed raise and lower mechanism. **Maximum cutting depth of 7-5/8" with 20" guard (4-5/8" cutting depth with 14" guard)**. Handle adjusts to operators height. Left or right side sawing. Remote throttle, choke and ignition switch (only available on the 20 Hp Models).

CC1813H-XLS-14 Inch with a 11 Hp Honda Engine	CALL
CC1813H-XLS-20 Inch with a 11 Hp Honda Engine	CALL
CC1816BV-XLS-14 Inch with a 16 Hp Vanguard Engine	CALL
CC1816BV-XLS-20 Inch with a 16 Hp Vanguard Engine	CALL



## CC2500 Series 14", 20" & 26" Concrete Push Saws






Delivers the power of a large saw with the compactness and economy of a small one. Economical screw feed raise and lower mechanism (standard) or with optional power raise/lower assembly. 2 position tilt handle bars. Large 5-gallon fuel capacity for longer sawing times between refills. 1-1/2" diameter blade shaft with bearings that are greasable from the top of the frame. **Maximum cutting depth of 10-3/8" with 26" guard (4-5/8" cutting depth with 14" guard, and 7-3/8" with 20" guard)**.

CC2520H-14 Inch with a 18 Hp Honda Engine	CALL
CC2520H-20 Inch with a 18 Hp Honda Engine	CALL
CC2520H-26 Inch with a 18 Hp Honda Engine	CALL
CC2524H-14 Inch with a 20.5 Hp Honda Engine	CALL
CC2524H-20 Inch with a 20.5 Hp Honda Engine	CALL
CC2524H-26 Inch with a 20.5 Hp Honda Engine	CALL



# Multiquip 4-Blade Walk Behind Trowels

 <p>24 Inch Models</p>	24" CA4MC, Honda GX120, 130 Max RPM. Manual Clutch, <b>Folding Quick-Pitch Handle</b>	CA4HM	CALL
	24" CA4HC, Honda GX120, 130 Max RPM. Centrifugal Clutch, <b>Manual Handle</b>	CA4HC-STHAC	CALL
	24" CA4HC, Honda GX120, 130 Max RPM. Centrifugal Clutch, <b>Folding Quick-Pitch Handle</b>	CA4HC-QPHAFC	CALL
<p><b>30 Inch Models</b></p>	30" M30H55 Honda GX160, 130 Max RPM. Centrifugal Clutch, <b>Manual Handle</b>	M30H55-STHAJB	CALL
	30" M30H55, Honda GX160, 130 Max RPM. Centrifugal Clutch, <b>Folding Quick-Pitch Handle</b>	M30H55-QPHAJB	CALL
 <p><b>36 Inch Models</b></p>	36" J42E, 115/230volt, 93 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	J42E	CALL
	36" J42E50, 230volt, 77 RPM fixed speed. Centrifugal Clutch, <b>Standard Handle</b>	J42E50	CALL
	36" J36H55, Honda GX160, 115 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	J36H55-STHAJB	CALL
	36" J36H55, Honda GX160, 115 Max RPM. Centrifugal Clutch, <b>Quick-Pitch Handle</b>	J36H55-QPHAJB	CALL
	36" J36R60, Robin EX17, 115 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	J36R60-STHAJB	CALL
	36" J36R60, Robin EX17, 115 Max RPM. Centrifugal Clutch, <b>Quick Pitch Handle</b>	J36R60-QPHAJB	CALL
	36" J36H90H, Honda GX270, High-Speed 155 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	J36H90H-STHAJB	CALL
	36" J36H90H, Honda GX270, High-Speed 155 Max RPM. Centrifugal Clutch, <b>Quick Pitch Handle</b>	J36H90H-QPHAJB	CALL
	36" J36R90H, Robin EX27, High-Speed 155 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	J36R90H-STHAJB	CALL
	36" J36R90H, Robin EX27, High-Speed 155 Max RPM. Centrifugal Clutch, <b>Quick Pitch Handle</b>	J36R90H-QPHAJB	CALL
	36" J36H90H, Honda GX270, Low-Speed 130 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	J36H90-STHAJB	CALL
	36" J36H90H, Honda GX270, Low-Speed 130 Max RPM. Centrifugal Clutch, <b>Quick Pitch Handle</b>	J36H90-QPHAJB	CALL
	36" J36R90H, Robin EX27, Low-Speed 130 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	J36R90-STHAJB	CALL
	36" J36R90H, Robin EX27, Low-Speed 130 Max RPM. Centrifugal Clutch, <b>Quick Pitch Handle</b>	J36R90-QPHAJB	CALL
 <p>46 Inch Models</p>	46" B46H90, Honda GX270, 130 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	B46H90-STHAJB	CALL
	46" B46H90, Honda GX270, 130 Max RPM. Centrifugal Clutch, <b>Quick Pitch Handle</b>	B46H90-QPHAJB	CALL
	46" B46H90, Robin EX27, 130 Max RPM. Centrifugal Clutch, <b>Standard Handle</b>	B46R90-STHAJB	CALL
	46" B46H90, Robin EX27, 130 Max RPM. Centrifugal Clutch, <b>Quick Pitch Handle</b>	B46R90-QPHAJB	CALL



# Honda Pumps



**General Purpose:** Honda' general-purpose water pump models offer quality performance with value pricing. Powered by Honda' Industrial series GX engines, heavy-duty frame and durable cast iron volute and impeller, these water pumps will provide outstanding performance for general clear water pumping applications.

**High Pressure:** Honda's high pressure pumps offer high pressure with lower flow. The best applications for these water pumps are where higher pressure is required, such as when using sprinklers or a nozzle.

**Trash:** Honda trash pumps are designed to allow solids (sticks, stones, and debris) up to 13/16 inch for the 2 inch model and 1 1/16 inch for construction sites. The WT series pumps are designed to move water, and lots of it. The WT40 will move water at a rate of 433 GPM and is capable of handling solids without clogging.

**Diaphragm:** Not limited to clear water. Pumps mud and trash (up to 25% by volume) capable of running dry.

**Agricultural / Chemical:** The perfect choice when pumping approved industrial and agricultural chemicals.

**Electric Submersible:** Offer stainless steel casing, automatic starting and built in thermal reset.

**WX-10** **CALL**

**WX-15** **CALL**

**WB-20** **CALL**

**WB-30** **CALL**

**WH-15** **CALL**

**WH-20** **CALL**

**WT-20** **CALL**

**WT-30** **CALL**

**WT-40** **CALL**

**WDP-30** **CALL**

**WMP20** **CALL**

**WSP33AA** **CALL**



# Multiquip Pumps



**Diaphragm:** Perfect for muddy water, sludge or any water with a high percentage of solids.

**General Purpose:** Multiquip's versatile centrifugal pumps are designed to handle all types of clear water applications. Economical and dependable, they are suitable for construction, municipal and agricultural applications. They are also ideal for residential use such as de-watering basements and pools.

**High Pressure:** These pumps offer a wide range of application uses for moving water. The 205SLT meets new U.S. Coast Guard standard for a portable FIRE-FIGHT pump (49 CFR Ch. 1 173.220). Ideal for residential, agricultural and construction applications.

**Electric Submersible:** Versatile pumps that handle a wide range of applications; construction, utilities, municipalities, homeowners. Ideal for removing water from confined area. Their compact design and high performance enable them to get the job done.

**MQ-D2H** **CALL**

**MQ-D3H** **CALL**

**QP-2H** **CALL**

**QP-303H** **CALL**

**QP-402H** **CALL**

**QP-205SH** **CALL**

**QPT-205SLT** **CALL**

**QP-305SLT** **CALL**

**ST-2037** **CALL**

**ST-2047** **CALL**

**ST3020BCUL** **CALL**



# Multiquip Pumps (Continued)



Electric Submersible Trash Pump	<b>ST-2040T</b>	<b>CALL</b>
<b>Trash:</b> Multiquip Trash Pumps are engineered to meet the requirements of professional contractors. Rugged and dependable, they are ideal for dewatering applications with high solid content. Sticks, stones, and debris easily pass through these pumps, minimizing down time due to clogging.	<b>QP-2TH</b>	<b>CALL</b>
	<b>QP-3TH</b>	<b>CALL</b>
	<b>QP-4TH</b>	<b>CALL</b>
<b>Puddle Sucker:</b> Draw water down to 1/16 of an inch.	<b>ST-2038P</b>	<b>CALL</b>

## Tsurumi Electric Submersible Pumps



This 2" 1/2 Hp <b>Trash Pump</b> is for sands, solids, and debris.	<b>HS2.4S</b>	<b>CALL</b>
This 2" 1/2 Hp <b>Automatic Trash Pump</b> is for sands, solids, and debris.	<b>HSZ2.4S</b>	<b>CALL</b>
This 3" 1 Hp <b>Trash Pump</b> is for sands, solids, and debris.	<b>HS3.75S</b>	<b>CALL</b>
This 3" 1 Hp <b>Automatic Trash Pump</b> is for sands, solids, and debris.	<b>HSZ3.75S</b>	<b>CALL</b>
This 2" 3/4 Hp super durable <b>Sand Pump</b> is perfect for "gritty" material.	<b>HSD2.55S</b>	<b>CALL</b>
This 2" 2/3 Hp <b>General Purpose De-Watering Pump</b> for clear water.	<b>LB-480</b>	<b>CALL</b>
This 2" 2/3 Hp <b>Automatic General Purpose De-Watering Pump</b> for clear water.	<b>LB-480A</b>	<b>CALL</b>
This 2" 1 Hp <b>General Purpose De-Watering Pump</b> for clear water.	<b>LB-800</b>	<b>CALL</b>
This 3/4" 2/3 Hp <b>Residue Level Pump</b> drains to 0.04 inches.	<b>LSC1.4S</b>	<b>CALL</b>
This 2" 2/3 Hp <b>Low Level Pump</b> is "abrasive resistant" and drains to 0.2 inches.	<b>LSR2.4S</b>	<b>CALL</b>
This 3" 2 Hp 115volt <b>High-Head Pump</b> has a max. head of 70 ft.	<b>NK2-15</b>	<b>CALL</b>
This 3" 3 Hp 220volt <b>High-Head Pump</b> has a max. head of 85 ft.	<b>NK2-22</b>	<b>CALL</b>



Cessco is proud to carry 3 phase construction pumps, and a complete selection of Tsurumi's VANCS Water Feature & Sewage Pumps.



## Miscellaneous



### Non- Explosive Demolition Agents

Dexpan is a soundless **NON-EXPLOSIVE** expansive agent. As most people know, explosives and other mechanical methods have been used for demolishing concrete structures and breaking rocks. Eliminate environmental pollutions such as noise, vibration, and noxious fumes (**Price is per 44lbs. box**)

**DEXPAN I (25f - 50F)**

**DEXPAN II (50F - 77F) CALL**

**DEXPAN III (77F - 104F)**

### MICRO-BLASTER

(PATENT PENDING)



### Explosive Demolition Agent

**Micro - Blaster** is a suite of patented rock breaking equipment used by contractors, excavators, and other field workers to enable the efficient removal of boulder, concrete structures, and rock formations. The single-head micro-blaster equipment costs under \$1,000 and is portable, lightweight, and easily operated. (**EXPLOSIVE!**)

**Single Head Kit CALL**

**Three Head Kit CALL**

**Cartridges (per 100) CALL**



## Cutters Choice Diamond Blades

for High-Speed Hand-Held **Cut-Off Saws** & **Low Hp** Walk-Behind Concrete Slab Saws

#### Concrete Diamond Blades (Wet/Dry)

SIZE	GOOD	BETTER	BEST
12"x.125"	<b>CALL FOR PRICING</b>		
14"x.125"			
16"x.125"			
18"x.125"			

#### Asphalt Diamond Blades (Wet/Dry)

SIZE	GOOD	BETTER	BEST
12"x.125"	<b>CALL FOR PRICING</b>		
14"x.125"			
16"x.125"			
18"x.125"			

#### Ductile Iron Diamond Blades (Wet/Dry)

SIZE	GOOD	BETTER	BEST
12"	<b>CALL FOR PRICING</b>		
14"x.125"			
16"x.125"			

#### Turbo Segmented Diamond Blades (Wet/Dry)

SIZE	Extra Value	Vortex	Supreme
12"x.125"	<b>CALL FOR PRICING</b>		
14"x.125"			

for **High HP** Walk Behind Concrete Slab Saws (Blades are available as Fast-Cut or Medium Cut)

#### Wet Asphalt High Hp Diamond Blades

Size	Premium	Supreme
14" x .125"	<b>CALL</b>	<b>CALL</b>
14" x .155"	<b>CALL</b>	<b>CALL</b>
18" x .125"	<b>CALL</b>	<b>CALL</b>
18" x .155"	<b>CALL</b>	<b>CALL</b>
24" x .125"	<b>CALL</b>	<b>CALL</b>
24" x .155"	<b>CALL</b>	<b>CALL</b>
26" x .155"	<b>CALL</b>	<b>CALL</b>
30" x .155"	<b>CALL</b>	<b>CALL</b>
36" x .155"	<b>CALL</b>	<b>CALL</b>

#### Wet Concrete High Hp Diamond Blades

Size	Premium	Supreme
14" x .125"	<b>CALL</b>	<b>CALL</b>
14" x .155"	<b>CALL</b>	<b>CALL</b>
18" x .125"	<b>CALL</b>	<b>CALL</b>
18" x .155"	<b>CALL</b>	<b>CALL</b>
20" x .125"	<b>CALL</b>	<b>CALL</b>
20" x .155"	<b>CALL</b>	<b>CALL</b>
24" x .125"	<b>CALL</b>	<b>CALL</b>
24" x .155"	<b>CALL</b>	<b>CALL</b>
26" x .155"	<b>CALL</b>	<b>CALL</b>
30" x .155"	<b>CALL</b>	<b>CALL</b>
36" x .155"	<b>CALL</b>	<b>CALL</b>

**1-800-882-4959**

Call for current pricing  
Limited to stock on hand (Page 20)

**WWW.CESSCO.US**