

# PAVER & TILE SAWS

10" & 14" Paver Saws / 10" Tile Saw



**EDCO**

Equipment Development Co., Inc.

**edcoinc.com**  
**1-800-638-3326**

**SURFACE PREPARATION & PROFESSIONAL SAWING EQUIPMENT**

# 10" Paver Saw



Click or Scan  
for video

Model  
GMS-10  
Patented

## Ideal for

- Ideal for professional paver installers, landscapers, masons, rental stores and even do-it-yourselfers
- Cuts interlocking pavers, stepping stones, brick and cultured stone

## Features

- Shock mounted engine platform minimizes vibration to cutting head and rolling table for cleaner cuts
- Lightweight for easy transport and loading
- Includes a 10" segmented diamond blade
- Hose hookup included to provide clean water supply for wet cutting
- Patented dust collecting tube for dry dust free cutting (requires a vac system)

## Specifications

**Power Options:** 1.5HP Electric (115 or 230V)  
\*4HP or \*5.5HP Gasoline

**Length:** 43" (109 cm)

**Width:** 24" (61 cm)

**Height:** 37" (94 cm)

**Weight:** 131 lbs. (59 kg)

**Blade Capacity:** 10"

**Water Feed:** Hose hookup

**Cutting Head:** Fixed

# 14" Paver Saw



**Model  
HSS-14  
Patented**

## Ideal for

- Ideal for professional paver installers, paver manufacturers, landscape suppliers, masonry suppliers and rental stores
- Cuts interlocking pavers, 4" retaining wall block and brick, wet or dry

## Features

- 14" blade capacity with 4 <sup>3</sup>/<sub>4</sub>" cutting depth
- Includes a 14" segmented diamond blade
- Hose hookup included to provide clean water supply for wet cutting
- Unique pan drain relocates water away from worksite
- Patented dust collecting tube for dry dust free cutting (requires a vac system)

## Specifications

**Power Options:** 1.5HP Electric (115 or 230V)  
\*5.5HP or \*6.5HP Gasoline

---

**Length:** 47" (119 cm)      **Width:** 28" (71 cm)

**Height:** 57" (145 cm)      **Weight:** 155 lbs. (70 kg)

---

**Blade Capacity:** 14"

---

**Water Feed:** Hose hookup

---

**Cutting Head:** Fixed

# 10" Tile Saw



Model  
TMS-10



Scan or Click  
for Video

## Ideal for

- Tile contractors, installers, floor covering suppliers and rental stores

## Features

- Vertical and horizontal shielded bearings provide smoother rolling table for cleaner cuts
- Heavy-Duty, screw-type depth control provides easy blade adjustment and prevents cutting roller table
- Positive-drive cog belt pulley system delivers maximum power to the blade with minimum vibration
- Rolling table is locked to guide rails so it can't be misplaced or forgotten and is oversized to comfortably support larger size material
- Adjustable water flow, electric water pump and 10" continuous rim diamond blade are included

## Specifications

Power Options: 1HP Electric (115 or 230V)

1.5HP Electric (115 or 230V)

Length: 35" (86 cm)

Width: 22" (56 cm)

Height: 51" (130 cm)

Weight: 111 lbs. (50 kg)

Blade Capacity: 10"

Water Feed: Water pump

Cutting Head: Adjustable

## Patented Vacuum System Controls Dust!



**EDCO's** paver saws feature our patented dust control vacuum tube system that allows dry cutting of pavers without unhealthy, hazardous dust and silicosis particles in the air.

## Paver Saw Procart!



Another **EDCO** original idea, the Procart allows contractors to work at any convenient height—down to the ground where you can mark, cut and place pavers next to your work, or raised to a comfortable standing height if repetitive cuts are needed. Pneumatic tires make the ProCart easy to move around jobsites or on and off trailers.

**NET HORSEPOWER STATEMENT** - \*As rated by the engine manufacturer. The power rating of the engine indicated in this document is the net power output tested on a production engine for the engine model and measured in accordance with SAE j1349 at 3600 rpm. Mass production engines may vary from this value. Actual power output for the engine installed in the final machine will vary depending on numerous factors, including the opening speed of the engine in application, environmental conditions, maintenance, and other variables.